

PRODUCTS 2025-2026

SWISS  MADE



ELECTRIC STARTER PACKAGE

MAKE THE CHANGE WITH
**OUR ALL-IN-ONE RESTORATIVE
PLUG-AND-PLAY SYSTEM!**

SEE PAGE 4

NEW IN THE RANGE



CA PRIMA

VIEW ON PAGES

12-13



WIRELESS
FOOT PEDAL

VIEW ON PAGE

31

NEW



CA 1:2.5

VIEW ON PAGE

30-31

iCHIROPRO

VIEW ON PAGES

22-25



CA 20:1

VIEW ON PAGE

26-27



SWITCH TO ELECTRIC

SAVE THOUSANDS ON ATTACHMENTS AND MOTORS
WITH BIEN-AIR INTEGRATED MICROMOTOR KITS

ELECTRIC STARTER PACKAGE

EXCLUSIVE OFFER!

Make the change with our all-in-one restorative package:
a plug-and-play system with high and slow speed attachments.



ELECTRIC STARTER PACKAGE
1x OPTIMA WITH MCX MOTOR
1x CA NOVA 1:5L MICRO-SERIES

REF 1705000-001
REF 1700595-001
REF 1601138-001

HIGH & SLOW SPEED OPTION
1x OPTIMA WITH MCX MOTOR
1x CA NOVA 1:5L MICRO-SERIES
1x CLASSIC CA 1:1 L MICRO-SERIES

REF 1705001-001
REF 1700595-001
REF 1601138-001
REF 1600691-001



iOPTIMA^{INT}

iOPTIMA ^{INT} SINGLE MOTOR KIT	REF 1700704-IPAD
iOPTIMA ^{INT} SECOND MX2 MOTOR ADDITION	REF 1700704-2MT
iOPTIMA ^{INT} MX-i MOTOR ADDITION	REF 1700704-MXI

iOPTIMA ^{INT} DUAL MOTOR KIT	REF 1700705-IPAD
iOPTIMA ^{INT} ALL-IN-ONE KIT	REF 1700706-IPAD

- All-in-one system with full range of treatment options with a single iPad mini®
- The only system on the market that can place implants and perform surgery chairside with MX-i PLUS LED surgical micromotor upgrade
- WaveOne® Gold, RECIPROC®, and complete rotary endo capability
- Controls up to 3 micromotors
- 2-year warranty
- See pages 6-7 for more information



OPTIMA^{INT}

OPTIMA ^{INT} MCX SINGLE MOTOR KIT	REF 1700636-001
OPTIMA ^{INT} MX2 PRO SINGLE MOTOR KIT	REF 1700770-001
OPTIMA ^{INT} MX2 PRO DUAL MOTOR KIT	REF 1700771-001

- Use only two attachments: One red and one blue to cover all high speed, slow speed, and endo functions
- 40 programmable presets
- Highest power and most stable speed with MX2 PLUS micromotor
- Retrofit integration into any delivery unit
- WaveOne® Gold, RECIPROC®, and complete rotary endo capability
- 2-year warranty
- See pages 8-9 for more information



OPTIMA MCX SET

SEMI-INTEGRATED	REF 1700595-001
INTEGRATED	REF 1700492-001

- Use only one red attachment for all high and slow speed applications: A part of the Electric Starter Package!
- Semi-integrated installs easily onto any delivery unit
- Integrated solution includes speed control knob onto existing delivery unit
- 400° swivel tubing
- Speed control with bur RPM display
- 2-year warranty



LIMITLESS VERSATILITY.

The iOPTIMA^{INT} Motor System provides all the benefits of high and slow speed restorative, rotary endodontics, and WaveOne[®] Gold/RECIPROC[®] ready endo procedures with an Apple iPad mini[®], integrated into any delivery unit.

SINGLE MOTOR KIT

Refined simplicity: Perform all restorative and endo procedures with the possibility of expanding in any dental office. WaveOne[®] Gold and RECIPROC[®] ready functionality when paired with the CA ENDO.

DUAL MOTOR KIT

Dual efficiency: reduce downtime through the power of convenience. Use two attachments for focused restorative procedures or seamlessly switch between high speed and endo in the same operation. Instantly recall an attachment's previous settings by simply lifting it from its holder.

ADD-ON KITS AND ACCESSORIES

Expand your iOPTIMA^{INT} system further with à la carte extensions or by adding a third attachment.

ALL-IN-ONE KIT

The complete solution: provide the full chairside suite of restorative, endo, surgery & implantology, and piezo scaling. Optimize operatory space, keep inventory costs down, and maintain quality of care.

APPLICATIONS

- Restorative
- Endodontics
- Implantology and oral surgery
- Piezo Scaling



MX2 PLUS LED KIT
REF 1700704-2MT

Additional motor
for restorative
and endodontics



MX-i PLUS LED KIT
REF 1700704-MXI

Additional motor
for surgery
and implantology



PIEZO SCALER KIT
(w/ LIGHT)
REF 1900300-iOPTIMA

PIEZO SCALER KIT
(w/o LIGHT)
REF 1900301-iOPTIMA



STERILE IRRIGATION PUMP
REF 1900200-001

Irrigation pump
for surgical attachments



iOPTIMA^{INT} SINGLE MOTOR KIT
iOPTIMA^{INT} DUAL MOTOR KIT
iOPTIMA^{INT} ALL-IN-ONE KIT

REF 1700704-iPAD
REF 1700705-iPAD
REF 1700706-iPAD



SIMPLE.
COMPACT.

SWISS  MADE

FULLY INTEGRATED.

The OPTIMA^{INT} Motor System provides all the benefits of high and slow speed restorative. Each MX2 PRO unit also includes rotary endodontics and WaveOne[®] Gold, compatible with RECIPROC[®]. Access any setting or procedure with the press of a button.

With a simple, intuitive, and robust touchpad interface, choose from or create your own presets for common procedures, including speed and torque limits. Set the speed ratio for automatic calculation and display of live speed and torque.

Rotary endo mode maintains patient safety: upon reaching the maximum set torque, the system will automatically reverse the file rotation, releasing tension and preserving the file. A customizable timed delay will allow the file to continue forward.

Unlock the system's full capabilities with a CA NOVA 1:5 L MS (REF 1601138-001) for 500-200,000 RPM for all restorative procedures and the CA ENDO 4:1 (REF 1600955-001) for WaveOne[®] Gold, RECIPROC[®], and rotary endo.

MCX SINGLE MOTOR KIT

Restorative only unit for those who do not need endo capability. Includes the MCX LED Micromotor for consistent 2.5 Ncm maximum torque.*

MX2 PRO SINGLE MOTOR KIT

The greatest capability in a small form factor. Includes the MX2 PLUS LED Micromotor for consistent 3.5 Ncm maximum torque* for all restorative and endo procedures.

MX2 PRO DUAL MOTOR KIT

Reduce downtime through the power of convenience. Use two attachments for focused restorative procedures or seamlessly switch between high speed and endo in the same operation. Instantly recall an attachment's previous settings by simply lifting it from its holder.

OPTIMA ^{INT} MCX SINGLE MOTOR KIT	REF 1700636-001
OPTIMA ^{INT} MX2 PRO SINGLE MOTOR KIT	REF 1700770-001
OPTIMA ^{INT} MX2 PRO DUAL MOTOR KIT	REF 1700771-001


*Maximum torque values apply to the motor itself.

1:1 attachments preserve speed and torque.

1:5 attachments multiply speed and decrease torque by a factor of 5.

4:1 attachments decrease speed and multiply torque by a factor of 4.





Ultra-slim

PVD-coated
chuck system

Internal
anti-retraction
valve

Double
the service life

CoolTouch+
heat-arresting
technology

LIGHTEST AND SMALLEST OVERCOMING ANY CHALLENGES

A significant breakthrough, the CA NOVA features the smallest head in the entire Bien-Air range, facilitating all your operative procedures. Its sterilizable anti-retraction valve, *CoolTouch+* heat-resisting push button, and stainless steel housing maximize safety for you and your patients.



CA NOVA 1:5 L

CA NOVA 1:5 L STANDARD REF 1601139-001
CA NOVA 1:5 L MICRO-SERIES REF 1601138-001

CA NOVA 1:1 L

CA NOVA 1:1 L STANDARD REF 1601137-001
CA NOVA 1:1 L MICRO-SERIES REF 1601136-001

S W I S S  M A D E

NEW CA PRIMA



MORE THAN A SIMPLE CONTRA-ANGLE

SEE PRODUCT DETAILS



SWISS  MADE

Bien Air
Dental

DESIGNED FOR YOUR PEACE OF MIND

The CA PRIMA is not just an evolution of a previous generation. It is an entirely re-engineered 1:1 contra-angle. We've taken our legendary reliability and enhanced it with our renowned Swiss quality and know-how. This, combined with a number of innovative features, has led to a completely reinvented contra-angle.

The result is a product designed to simplify your work and offer you complete peace of mind. While its engineering might seem impressive on the inside, the outside is simply a contra-angle with the utmost reliability and lasting durability, allowing you to work with absolute ease and confidence and enhancing your patients' comfort.



OPTIMIZED FIELD OF VISION

Redefined handpiece head in a tapered shape, offering you better visibility.



GUARANTEED RELIABILITY

Reduced vibrations thanks to the patented *Accu-chuck advanced* system that guarantees longer service lifespan and enhanced comfort.



DESIGNED TO LAST

Built using stainless steel for greater resistance to mechanical impact and extended service life.



IMPROVED VISIBILITY AND GREATER PRECISION

Newly patented mixed *Accu-spray micro* system creating a finer spray cloud for improved visibility and working precision.

CA PRIMA 1:1 L

CA PRIMA 1:1 L MICRO-SERIES REF 1601237-001
CA PRIMA 1:1 L STANDARD REF 1601236-001



CA PRIMA 1:1

CA PRIMA 1:1 STANDARD REF 1601235-001



CA PRIMA 1:1 EXTERNAL SPRAY

CA PRIMA 1:1 EXT REF 1601267-001



CONTRA-ANGLES AND HANDPIECES



CA NOVA 1:5 L

CA NOVA 1:5 L STANDARD REF 1601139-001
CA NOVA 1:5 L MICRO-SERIES REF 1601138-001

- Replaces up to 3 separate handpieces
- Small tapered head Ø 6.3 mm × 13.7 mm high
- Uses friction grip burs
- 4 asymmetrical mixed sprays
- 56 dBA
- 500 - 200,000 RPM
Covers all high speed and slow speed restorative applications
- Internal anti-retraction valve
- 2-year warranty



CA NOVA 1:1 L

CA NOVA 1:1 L STANDARD REF 1601137-001
CA NOVA 1:1 L MICRO-SERIES REF 1601136-001

- Small tapered head Ø 6.3 mm × 12.9 mm high
- 1 separated air/water spray
- Uses right angle latch burs
- 55 dBA
- 100-40,000 RPM
For all slow speed restorative applications
- Internal anti-retraction valve
- 2-year warranty



CLASSIC CA 1:1

CA 1:1 STANDARD REF 1600424-001
CA 1:1 L STANDARD REF 1600384-001
CA 1:1 L MICRO-SERIES REF 1600691-001

- Multi-strand optical glass technology provides even cross-lighting in the working area
- Quiet at 57 dBA
- Economical
- Uses right angle latch burs
- Internal anti-retraction valve
- 2-year warranty



CLASSIC CA 1:5 L

CA 1:5 L STANDARD REF 1600386-001

- Multi-strand optical glass technology provides even cross-lighting in the working area
- Quiet at 58 dBA
- CoolTouch™
- Economical
- Uses friction grip burs
- Internal anti-retraction valve
- 2-year warranty



CA PRIMA 1:1

CA PRIMA 1:1 STANDARD REF 1601235-001
CA PRIMA 1:1 L STANDARD REF 1601236-001
CA PRIMA 1:1 L MICRO-SERIES REF 1601237-001

- Tapered head for optimized field of vision
- Patented Accu-chuck advanced system reduces vibrations
- Stainless steel offers greater impact resistance
- Newly patented mixed Accu-spray micro system for greater precision and improved visibility of the working area
- Internal anti-retraction valve
- 2-year warranty



CA PRIMA 1:1 EXTERNAL SPRAY

CA PRIMA 1:1 EXT REF 1601267-001

- Tapered head for optimized field of vision
- Patented Accu-chuck advanced system reduces vibrations
- Stainless steel offers greater impact resistance
- External spray suited for oral surgery
- Also known as CA PRIMA 1:121
- 2-year warranty



CA ENDO 4:1

CA ENDO 4:1 REF 1600955-001

- 4:1 speed reduction
- Enables WaveOne® Gold and RECIPROC® in the OPTIMA^{INT} and iOPTIMA^{INT} systems
- Without light
- Compatible with short nose micromotors only
- 2-year warranty



CA ENDO 8:1

CA ENDO 8:1 REF 1600911-001

- 8:1 speed reduction
- Without light
- Compatible with both standard size and short nose micromotors
- 2-year warranty



PM 1:1 EXTERNAL SPRAY

PM 1:1 EXT REF 1600052-001

- External spray
- Compatible with Proply & Polishing head attachments
- Compatible with both standard size and short nose micromotors
- Without light
- 2-year warranty



PM 1:1

PM 1:1 STANDARD REF 1600383-001
PM 1:1 MICRO-SERIES REF 1600693-001

- Internal spray
- Compatible with short nose micromotors
- Without light
- 2-year warranty



CA 15:1 PROPHY

CA 15:1 PROPHY REF 1600290-001

- Interchangeable screw or clip cup
- Includes: 5 screw cups, 5 clip cups
- Without light
- Compatible with both standard size and short nose micromotors
- 12-month warranty

PM 10:1 STRAIGHT PROPHY

PM 10:1 STRAIGHT PROPHY REF 1600289-001



AIR-DRIVEN ATTACHMENTS

SLOW SPEED

Slow speed motors allow variable speed between 5,000 and 20,000 RPM for non-lighted E-type attachments.
Combine both the Aquilon 830 Internal Spray motor with the Unifix 4-hole coupling for full 360° swivel, or connect only the Aquilon 4-hole Fixed Coupler for direct air-driven slow speed procedures.



TORNADO

TORNADO LED REF 1600908-001
TORNADO LK REF 1600907-001

- Protective Shield (PVD treatment)
- 30 W
- 55 dBA
- Highest torque
- Head size Ø 12.2 mm, 13.1 mm high
- 4 asymmetrical mixed sprays
- Internal anti-retraction valve
- 2-year warranty



TORNADO^S

TORNADO^S LED REF 1600933-001
TORNADO^S LK REF 1600932-001

- Protective Shield (PVD treatment)
- 24 W
- 58 dBA
- Smallest head
- Head size Ø 10.9 mm, 12.2 mm high
- 4 asymmetrical mixed sprays
- Internal anti-retraction valve
- 2-year warranty



BORA 2

BORA 2 LED REF 1601152-001
BORA 2 LK REF 1601153-001

- 20 W
- 59 dBA
- 4 asymmetrical mixed sprays
- Internal anti-retraction valve
- 2-year warranty



BLACK PEARL ECO

BLACK PEARL ECO REF 1600040-001

- 1 spray (2x1 separate spray)
- 13 W
- 62 dBA
- 2-year warranty



AQUILON 830 INTERNAL SPRAY

AQUILON 830 INT SPRAY REF 1600070-001
AQUILON 830 INT SPRAY W/4-HOLE UNIFIX COUPLING REF 1700211-001

- Air driven speed reducer for a range of 5,000 to 20,000 RPM
- Continuous speed range for fine adjustment
- Forward/backward rotation
- Compatible with E-type Micro-Series PM 1:1 in addition to non-lighted 1:1 attachments (see below)
- Full 360° swivel with Unifix 4-hole coupling (page 18)
- 12-month warranty



AQUILON 4-HOLE FIXED COUPLER

AQUILON 4-HOLE FIXED COUPLER REF 1602000-001

- Air driven speed reducer for a range of 5,000 to 20,000 RPM
- Continuous speed range for fine adjustment
- Forward/backward rotation
- Compatible with E-type non-lighted 1:1 attachments (see below)
- No swivel
- 6-month warranty



+



COUPLINGS

UNIFIX 4-HOLE COUPLING

WITHOUT LIGHT
REF 1600082-001



- Compatible with Bien-Air LED air-driven handpieces
- Without LED power
- Included in Slow Speed Swivel Sets
- 12-month warranty

UNIFIX 6-PIN COUPLING

WITHOUT SPRAY REGULATOR
REF 1600363-001



- Compatible with Bien-Air LED air-driven handpieces
- Without spray regulator
- Gold Connect for outstanding conductivity and resistance to oxidation
- 12-month warranty

UNIFIX 6-PIN COUPLING

WITH SPRAY REGULATOR
REF 1600086-001



- Compatible with Bien-Air LED air-driven handpieces
- With spray regulator
- Gold Connect for outstanding conductivity and resistance to oxidation
- 12-month warranty

MULTIFLEX® 5-HOLE COUPLING

REF VKS5



- Without spray regulator
- Internal fiber optics for light passthrough
- 12-month warranty

MULTIFLEX® 6-PIN COUPLING

WITHOUT SPRAY REGULATOR
REF 1600902-001



- Compatible with KaVo® instruments
- With LED light
- Without spray regulator
- Gold Connect for outstanding conductivity and resistance to oxidation
- 12-month warranty

MULTIFLEX® 6-PIN COUPLING

WITH SPRAY REGULATOR
REF 1600866-001



- Compatible with KaVo® instruments
- With LED light
- With spray regulator
- Gold Connect for outstanding conductivity and resistance to oxidation
- 12-month warranty

COUPLING COMPATIBILITY



UNIFIX COUPLINGS

LED handpieces each contain an internal, balanced color temperature LED bulb with no light loss. Unifix couplings ensure full, smooth, 360° swivel for Bien-Air LED air-driven handpieces only.



TORNADO LED TORNADO^s LED BORA 2 LED

MULTIFLEX® COUPLINGS

LK handpieces each contain multi-strand glass optics for light passthrough. MULTIflex® couplings ensure compatibility with KaVo® handpieces.



TORNADO LK TORNADO^s LK BORA 2 LK

WHEN SIMPLICITY MEETS POWER

PRO IMPLANT

SET PROIMPLANT REF 1700768-001

Simplicity: the cornerstone of the implantology motor developed by Bien-Air Dental. No calibration necessary: the MX-i motor and 20:1 L contra-angle remain precise over a 1,600 sterilization-cycle life.

IMPLANTOLOGY
motor system

NEW WIRELESS PEDAL



IMPLANT DENTISTRY

When pairing the MX-i micromotor with the CA 20:1 L attachment, the PROIMPLANT provides an unparalleled combination of stable speed and accuracy. The system remains at least 99% accurate of its display over its service life without calibration.

As the smallest and most durable osteotomy and implant handpiece on the market*, the CA 20:1 L features unique internal irrigation. Using the taper of the drill as a pump, saline water focuses onto the bone site for optimal cooling.



SEE PRODUCT
DETAILS

* According to tests carried out in Bien-Air Dental's research laboratory, the drive system of the CA 20:1 L handpiece has been optimized to withstand more than 1600 uses at 70 N·cm. This substantially maximizes the instrument's service life.

OMS

SET OMS REF. 1700769-001

The OMS has been specially developed for oral surgeons and oral maxillofacial surgeons. The perfect solution for implant placement, periodontal surgery, and oral surgery procedures, including hemisection.

IMPLANTOLOGY
motor system

ORAL SURGERY
motor system

NEW WIRELESS PEDAL



ORAL SURGERY

Combined with the PM 1:2 straight handpiece and the MX-i PLUS LED micromotor, the OMS is the perfect solution for your oral surgery procedures, including wisdom tooth extraction and hemisection.

The PM 1:2 reduces sectioning time by 70% (just 12 seconds to fully section a tooth) while significantly reducing the force required. The MX-i PLUS LED micromotor contains a self-cooling system, considerably reducing the risk of overheating.

ORAL AND PERIODONTAL SURGERY

Carry out oral and periodontal surgery procedures combining the OMS, MX-i PLUS LED micromotor, and high speed CA 1:2.5 L.

Contra-angle handpieces target operating areas that a straight handpiece cannot easily reach. The MX-i PLUS LED micromotor provides high torque and a built-in self-cooling system to ensure the quickest procedure without overheating, even during long and complex operations.

* Contra-angle and straight attachments shown with OMS for reference and are sold separately. Wireless foot pedal sold separately.

iCHIROPRO

YOUR ULTIMATE IMPLANTOLOGY SYSTEM

The iCHIROPRO is quite simply the most advanced implantology system on the market. Designed to assist you through its wide range of smart and digital features, it will lead you to unrivalled performance.

So, whether you're keen on immediate loading, you're a guided surgery user, or want extensive paperless traceability of your operations, unlock your full power with the iCHIROPRO.

End-to-end digital experience

Benefit from a full digital experience in patient management; from meticulous 3D planning and implant barcode scanning to accurate deployment on the day of the operation.



Extensive implant library

You have access to a library of pre-programmed implant systems that you can follow step by step or choose to customise to suit your needs.



Paperless traceability

Consult all your operation and patient data, as it's automatically and digitally documented and exported directly into the patient's electronic file with a single click.



Automatic updates

Get free and regular updates of your extensive implant database library and iOS versions to ensure you're always up to date.



SET iCHIROPRO

+ iPad | CA 20:1 L MICRO-SERIES | WIRED FOOT PEDAL

REF 1700440-001 + iPad

SET iCHIROPRO

+ iPad | 2x CA 20:1 L MICRO-SERIES | WIRED FOOT PEDAL

REF 1700440-001 + iPad + REF 1600692-001

SET iCHIROPRO

+ iPad | CA 20:1 L MICRO-SERIES | WIRELESS FOOT PEDAL

REF 1700892-001 + iPad



SEE PRODUCT
DETAILS



NEW

UNLOCKING THE POWER OF IMMEDIACY



ILP

IMMEDIATE LOADING PROBABILITY

POWERED BY AI

Directly integrated into the iCHIROPRO, let us introduce you to ILP.

ILP, a new AI-driven tool, assists the surgeon in intraoperative decision-making by providing a real-time assessment of primary implant stability to support the decision on whether to proceed with immediate implant loading.

This machine-learning algorithm was developed in collaboration with Dr Degidi and is based on the clinically established concept of Variable Torque Work (VTW) published in 2011¹.

Making a real difference to your work


All-in-one device

You already have it all: no additional equipment is needed to measure primary implant stability; everything come directly with the iCHIROPRO.



Simplified decision-making

Interpret the generated results easily, thanks to an intuitive visualization system.



Time-saving process

Benefit from a straightforward process integrated directly into the surgical workflow, with no additional steps needed.



Cost-effective solution

Take advantage of an attractive solution where no additional devices are required to get the immediate loading functionality.



SEE PRODUCT
DETAILS



¹M. Degidi et al., 2011 "Development of a New Implant Primary Stability Parameter: Insertion Torque Revisited", Wiley Periodicals, Inc. DOI 10.1111/j.1708-8208.2011.00392.

ILP UPDATE: THIS NEW FEATURE WILL BE INCLUDED IN THE NEXT iCHIROPRO UPDATE APP V 2.7. IT WILL SOON BE AVAILABLE AND WILL BE COMPATIBLE WITH YOUR EXISTING iCHIROPRO.

CONTRA-ANGLE 20:1

NEW TAPERED HEAD SHAPE!

When technology and innovation serve your comfort, they pave the way for seamless operation. And the CA 20:1 offers just that.

ENHANCED VISION AND ACCESSIBILITY

Its small, new tapered head optimizes your field of view for easier and unobstructed access to the oral cavity.

PIONEERING TECHNOLOGY FOR GREATER FIELD OF VIEW

Bien-Air's 20:1 contra-angle features a unique world first: an internal irrigation line. This invaluable feature provides unprecedented visibility and access, unhindered by external irrigation.

DESIGNED TO IMPROVE YOUR WELL-BEING

With the Micro-Series models, we're taking ergonomics to the next level. Shorter and lighter than traditional models, they're easy to grip, reducing strain on the hand, wrist, arm, and shoulder.

STRENGTH BEYOND COMPARE


Stainless steel significantly increases its durability, maximizing its service life. Internal gearing allows torque up to 70 Ncm when paired with the PROIMPLANT or 80 Ncm with the OMS.



NEW



Bien-Air⁺
Dental



PATENTED IRRIGATION SYSTEM

Internal irrigation travels down the threads of the osteotomy drill, cooling the bone site continuously and accurately without obstructing view. Pair the 20:1 with the PROIMPLANT for unparalleled stability and accuracy.



CA 20:1 L MICRO-SERIES
CA 20:1 L STANDARD
CA 20:1 STANDARD

REF 1600692-001
REF 1600598-001
REF 1600632-001

SURGERY

RECIP MICROSAW

THE ULTIMATE RECIPROCATING SAW AND BLADES

Designed to work with
Bien-Air's E-type MX-i PLUS LED micromotor

SPECIALLY SUITED FOR THE FOLLOWING SURGERIES:

- BSSO
- Le Fort I
- Genioplasty
- Mandible wing
- Rhinoplasty

- Internal irrigation system prevents tissue necrosis and optimally evacuates organic waste
- Patented internal vibration reduction system limits vibrations and maintains motor connection
- Compatible with short nose micromotors (ISO 3964)
- Max 15,200 cycles/min reciprocating frequency



**REMOVABLE
COOLING RING**
to ensure optimal cooling.

RECIPROCATING MICROSAW
IRRIGATION RING

REF 1601098-001
REF 1502918-001

STANDARD



	REFERENCE (sets of 3 blades)	THICKNESS	KERF	CUTTING LENGTH	TOTAL LENGTH
SHORT	REF 1502671-003	0.4 mm	0.54 mm	22 mm	32 mm
	REF 1502672-003	0.4 mm	0.54 mm	27 mm	37 mm
	REF 1502673-003	0.4 mm	0.54 mm	32 mm	42 mm
	REF 1502674-003	0.6 mm	0.74 mm	22 mm	32 mm
	REF 1502675-003	0.6 mm	0.74 mm	27 mm	37 mm
	REF 1502676-003	0.6 mm	0.74 mm	32 mm	42 mm
LONG	REF 1502677-003	0.4 mm	0.54 mm	22 mm	42 mm
	REF 1502678-003	0.4 mm	0.54 mm	27 mm	47 mm
	REF 1502679-003	0.4 mm	0.54 mm	32 mm	52 mm
	REF 1502680-003	0.6 mm	0.74 mm	22 mm	42 mm
	REF 1502681-003	0.6 mm	0.74 mm	27 mm	47 mm
	REF 1502682-003	0.6 mm	0.74 mm	32 mm	52 mm

BULLNOSE



	REFERENCE (sets of 3 blades)	THICKNESS	KERF	CUTTING LENGTH	TOTAL LENGTH
SHORT	REF 1502731-003	0.4 mm	0.54 mm	22 mm	32 mm
	REF 1502732-003	0.4 mm	0.54 mm	27 mm	37 mm
	REF 1502733-003	0.4 mm	0.54 mm	32 mm	42 mm
	REF 1502734-003	0.6 mm	0.74 mm	22 mm	32 mm
	REF 1502735-003	0.6 mm	0.74 mm	27 mm	37 mm
	REF 1502736-003	0.6 mm	0.74 mm	32 mm	42 mm
LONG	REF 1502737-003	0.4 mm	0.54 mm	22 mm	42 mm
	REF 1502738-003	0.4 mm	0.54 mm	27 mm	47 mm
	REF 1502739-003	0.4 mm	0.54 mm	32 mm	52 mm
	REF 1502740-003	0.6 mm	0.74 mm	22 mm	42 mm
	REF 1502741-003	0.6 mm	0.74 mm	27 mm	47 mm
	REF 1502742-003	0.6 mm	0.74 mm	32 mm	52 mm

COMPATIBLE WITH:



OMS REF 1700769-001

CONTRA-ANGLE
1:2.5

SWISS  MADE

ULTIMATE RELIABILITY

LATCH TYPE
HIGH SPEED SYSTEM

APICOECTOMY
HEMISECTION
CROWN LENGTHENING
WISDOM TOOTH EXTRACTION

The redesigned 1:2.5L Micro-Series contra-angle can now utilize extra-long 34 mm surgical latch burs, establishing itself as the new reference for surgery and periodontology. Optimize speed and maximize patient safety with enhanced stability and reduced vibrations.

INCLUDES 8-BURS STARTER KIT

RA BONE CUTTER 161-06	REF BA81400
RA SL CARBIDE 2	REF BA81401
RA SL CARBIDE 4	REF BA81402
RA SL CARBIDE 6	REF BA81403
RA SL CARBIDE 8	REF BA81404
RA SL CARBIDE 702	REF BA81405
RA SL CARBIDE 703	REF BA81406
RA DIAMOND 856-016	REF BA81407

ALSO AVAILABLE STERILIZED

RA BONE CUTTER 161-06	REF BA81408
RA SL CARBIDE 2	REF BA81409
RA SL CARBIDE 4	REF BA81410
RA SL CARBIDE 6	REF BA81411
RA SL CARBIDE 8	REF BA81412
RA SL CARBIDE 702	REF BA81413
RA SL CARBIDE 703	REF BA81414
RA DIAMOND 856-016	REF BA81415



SURGERY

Bien Air
Dental

PM 1:2 STRAIGHT SURGICAL

PM 1:2 REF 1600436-001

- External spray
- Sleeve with irrigation tube locking ring
- Compatible with short nose micromotors
- Without light
- 12-month warranty

RECIPROCATING MICROSAW

RECIP MICROSAW REF 1601098-001

- Easy blade change; no tool required
- Internal irrigation system
- Internal vibration reduction system
- Compatible with short nose micromotors
- 2.6:1 speed reduction: max 15,200 cycles/min reciprocating frequency
- 12-month warranty

NEW TAPERED HEAD CA 1:2.5 L MS

CA 1:2.5 L MICRO-SERIES REF 1601164-001

- Multi-strand optical glass technology
- Patented internal irrigation spray
- Can be combined with extra long 34 mm surgical latch burs
- 100,000 RPM maximum speed
- 12-month warranty

NEW TAPERED HEAD CA 20:1

CA 20:1 L MICRO-SERIES
REF 1600692-001

CA 20:1 L STANDARD
REF 1600598-001

CA 20:1 STANDARD
REF 1600632-001

- Multi-strand optical glass technology
- Patented internal irrigation spray
- Highly resistant to corrosion
- Reduces speed down to 5 RPM with torque up to 80 Ncm with OMS
- 2-year warranty

SEE PAGES 26-27

WIRELESS FOOT PEDAL

WIRELESS FOOT PEDAL + DONGLE REF 1601192-001

NEW PRODUCT LAUNCH!

FULL COMPATIBILITY

All surgical systems can upgrade with the same connection to the unit.

ENHANCED EFFICIENCY

The pedal now features increased resistance for more accurate foot control.

DURABILITY

Includes two AA batteries, required. The system has been tested for one intensive year of work, and sleep mode saves battery power when not in use.

SAFETY

Uses the latest Bluetooth standards, and only the pedal and dongle with matching serial numbers can pair, preventing crosstalk. Includes 2-year warranty.

COMPLETE FREEDOM

Eliminate cables. Place it anywhere.





LUBRICARE 2
+ DUOPACK MAINTENANCE
LUBRICARE 2 REF 1601156-001



LUBRIFLUID®
LUBRICANT SPRAY
(PACK OF 6)
LUBRIFLUID REF 1600064-006

- 500 mL lubricant oil for turbines, handpieces, contra-angles, and micromotors.



SPRAYNET®
CLEANING SPRAY
(PACK OF 6)
SPRAYNET REF 1600036-006

- 500 mL cleaning spray for instruments and equipment.



AQUACARE®
SURGICAL CLEANER
(PACK OF 6)
AQUACARE REF 1600617-006

- 500 mL cleaning & pH-neutralizing spray for surgical attachments used with physiological liquid.



MAINTENANCE TRIOPACK
MAINTENANCE TRIOPACK REF 0600072

- Complete surgical maintenance set: clean, disinfect, and lubricate for sterilization-ready surgical instruments.
- Includes one 500 mL spray can each of Aquacare®, Spraynet®, and Lubrifluid®.



LUBRIMED
(BOX OF 6 CARTRIDGES)
LUBRIMED REF 1600037-006

- For air-driven handpieces only
- Can be used in place of oil on Bien-Air high-speed pneumatic handpieces.
- Do not use Lubricare 2 in combination with Lubrimed.


MAINTENANCE

STERILIZATION CASSETTE




YELLOW INSERT*

REF 2000001-YELLOW



RED INSERT*

REF 2000002-RED



GREY INSERT*

REF 2000005-GREY



SURGICAL & IMPLANT CASSETTE*

CASSETTE + CONTAINER REF 6500003-001
CONTAINER ONLY REF 6500002-001
CASSETTE ONLY REF 6500001-001



BLUE INSERT*

REF 2000003-BLUE



WHITE INSERT*

REF 2000004-WHITE



DRYING RACK*

DRYING RACK REF 6500004-001



IRRIGATION LINES

(BOX OF 10, STANDARD LENGTH)


REF 1500984-010



IRRIGATION LINE CLIPS

(BOX OF 10)

REF 1303711-010



*Handpieces and motors not included

SALES REPRESENTATIVES



TO ORDER, CALL (800) 433-2436 OR CONTACT YOUR LOCAL REPRESENTATIVE

WEST

Southern CA
(ZIP 900001-93483), HI
JEFFREY HOSTERT
(206) 734-5333
jeffrey.hostert@bienair.com

Northern CA (ZIP 93501+)
Northern NV
MAX MURPHY
(510) 326-8592
max@murphydentalsales.com

OR, WA, AK, ID
CAMERON CONDRAY
(503) 347-9035
nwdentalsupply@gmail.com

MOUNTAIN

CO, UT, MT, WY
HUNTER NISHWITZ
(937) 312-4899
hunter.nishwitz@bienair.com

AZ, NM, El Paso, Southern NV
MICHAEL DAVIS
(602) 317-6215
michael.davis@bienair.com

CENTRAL

MN, NE, ND, SD, IA,
Western WI
TIM VANWYCHEN
(651) 231-2801
vanwychen@hotmail.com

KS, MO, WI, IL
BOB GARNICA
(630) 967-8087
bob.garnica@bienair.com

MI, IN, OH, KY
GUY GISMONDI
(734) 516-1597
guy@kagedist.com

AR, MS
CORPORATE OFFICE
(800) 433-2436
sales-us@bienair.com

TX, OK, LA
LEAH N. GARCIA
(214) 650-5956
leah.garcia@bienair.com

EAST

NY (ZIP 12007-14905), WV,
Western PA
MIKE MATUCH
(716) 913-8534
michaelmatuch@yahoo.com

MA, RI, NH, ME, VT, CT
PAUL SNELL
(978) 852-5229
pauls@pmrdental.com

NY (ZIP 10001-12000), NJ
JONATHAN MCDERMOTT
(201) 321-9330
jonathan.mcdermott@bienair.com

MD, VA, DC, DE, Eastern PA
GRETCHEN KUNEY
(703) 727-4483
gretchen.kuney@bienair.com

GA, AL, FL (ZIP 323-325)
NATHAN SHAW
(678) 778-1295
snate1975@aol.com

TN, NC, SC
CARTER HULL
(704) 999-5032
carter.hull@bienair.com

FL
CHRIS COLLINS
(407) 435-5150
chris.collins@bienair.com

CANADA

QC, NF, NB, NS, BS, PQ, ON,
Manitoba & Saskatchewan CAN
DAVID GOLDSHAW
(647) 298-7429
aushaw@rogers.com

**SCHEDULE A FREE
IN-OFFICE DEMO!**



S W I S S  M A D E

WaveOne Gold is a registered trademark of DENTSPLY SIRONA. RECIPROC is a registered trademark of VDW.

MULTiflex and KaVo are registered trademarks of KaVo Dental GmbH.

Apple and iPad mini are trademarks of Apple Inc., registered in the U.S. and other countries and regions.